


Amendment to the Claims

This listing of claims will replace all prior versions and listings of claims in the above-referenced application.

Listing of Claims:


1. (Original) A compound represented by the general formula:



wherein X₁ represents a nitrogen atom or a group represented by the formula –CR₁₀=, X₂ represents a nitrogen atom or a group represented by the formula –CR₁₁=, and X₁ and X₂ do not represent a nitrogen atom at the same time;


Y represents an oxygen atom, a sulfur atom, a sulfinyl group, a sulfonyl group, or a group represented by the formula –NR_Y– (wherein R_Y represents a hydrogen atom or a C₁₋₆ alkyl group);

R₁ represents an optionally substituted C₁₋₆ alkoxy group, an optionally substituted C₆₋₁₀ aryloxy group, a group represented by the formula –NR_{12a}R_{12b}, a group represented by the formula:




(wherein Y_{A1} and Y_{A2} each independently represent a group represented by the formula –A₁₀–A₁₁–A₁₂ (wherein A₁₀ represents a single bond or an optionally substituted C1-6 alkylene; A₁₁ represents a single bond, an oxygen atom, a carbonyl group or a sulfonyl group; and A₁₂ represents a hydrogen atom, a C₁₋₆ alkyl group, a C₂₋₆ alkenyl group, a C₂₋₆ alkynyl group, a C₃₋₈ cycloalkyl group, a C₆₋₁₀ aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula –NR_{A10}R_{A11}, a group represented by the formula –OR_{A12} (wherein R_{A10}, R_{A11} and

R_{A12} each independently represent a hydrogen atom, a C1-6 alkyl group or C₃₋₈ cycloalkyl group) or a group represented by the formula:




(wherein e represents 1 or 2; Z represents an oxygen atom, a group represented by the formula –CR_{X7}R_{X8}– or a group represented by the formula –NR_{X9}–; R_{X7}, R_{X8} and R_{X9} each independently represent a hydrogen atom, a hydroxyl group or a C₁₋₆ alkyl group)); and Y_{A3} represents a hydrogen atom or an optionally substituted C₁₋₆ alkyl group) or a group represented by the formula:



(wherein T1 represents an optionally substituted 5- to 10- membered aromatic heterocycle which may have X in the ring or an optionally substituted 3- to 10- membered heterocycle which may have X in the ring);

R₃, R₄, R₅, R₆, R₇, R₈, R₁₀ and R₁₁ each independently represent a hydrogen atom, a halogen atom, a cyano group, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, a group represented by the formula –CO-R₁₃, a group represented by the formula –NR₁₄-CO-R₁₃, a group represented by the formula –SO₂-R₁₅, a group represented by the formula –NR₁₄-SO₂-R₁₅, or a group represented by the formula –NR_{16a}R_{16b};

R₉ represents a group represented by the formula –NR_{16a}R_{16b} or a group represented by the formula:




(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);

R_{12a} and R_{12b} each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₃₋₆ alkenyl group, an optionally substituted C₃₋₆ alkynyl

group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted 3- to 10-membered heterocyclic group, or an optionally substituted C₁₋₆ alkoxy group;

R₁₃ represents a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, an optionally substituted C₁₋₆ alkoxy group, an optionally substituted C₆₋₁₀ aryloxy group, a group represented by the formula -NR_{12a}R_{12b}, or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);


R₂ and R₁₄ each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, or a group represented by the formula -CO-R₁₃;

R₁₅ represents an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10-membered heteroaryl group, or an optionally substituted 3- to 10- membered heterocyclic group;

R_{16a} and R_{16b} each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₃₋₆ alkenyl group, an optionally substituted C₃₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C₁₋₆ alkoxy group; and

X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula -CR_{X1}R_{X2}-, or a group represented by the formula -NR_{X3}- (wherein R_{X1}, R_{X2} and R_{X3} each independently represent a hydrogen atom or a group represented by the formula -A₁-A₂-A₃ (wherein A₁ and A₂ each independently represent a single bond, an


optionally substituted C₁₋₆ alkylene group or a carbonyl group; and A₃ represents a hydrogen atom, a C₃₋₈ cycloalkyl group, a group represented by the formula -NR_{A1}R_{A2}, or the formula -OR_{A3} (wherein, R_{A1}, R_{A2} and R_{A3} each independently represent a hydrogen atom or a C₁₋₆ alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2)),

a salt thereof, or a hydrate of the foregoing.

2. (Currently Amended) A compound represented by the general formula:




wherein X₁, X₂, Y, R₁, R₂, R₃, R₄, R₅, R₆, R₇, R₈ and R₉ represent the same definitions as X₁, X₂, Y, R₁, R₂, R₃, R₄, R₅, R₆, R₇, R₈ and R₉ in claim 1, respectively,


wherein X₁ represents a nitrogen atom or a group represented by the formula -CR₁₀=, X₂ represents a nitrogen atom or a group represented by the formula -CR₁₁=, and X₁ and X₂ do not represent a nitrogen atom at the same time;

Y represents an oxygen atom, a sulfur atom, a sulfinyl group, a sulfonyl group, or a group represented by the formula -NR_Y- (wherein R_Y represents a hydrogen atom or a C₁₋₆ alkyl group);


R₁ represents an optionally substituted C₁₋₆ alkoxy group, an optionally substituted C₆₋₁₀ aryloxy group, a group represented by the formula -NR_{12a}R_{12b}, a group represented by the formula:



(wherein Y_{A1} and Y_{A2} each independently represent a group represented by the formula – A_{10} – A_{11} – A_{12} (wherein A_{10} represents a single bond or an optionally substituted C1-6 alkylene; A_{11} represents a single bond, an oxygen atom, a carbonyl group or a sulfonyl group; and A_{12} represents a hydrogen atom, a C1-6 alkyl group, a C2-6 alkenyl group, a C2-6 alkynyl group, a C3-8 cycloalkyl group, a C6-10 aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula – $NR_{A10}R_{A11}$, a group represented by the formula – OR_{A12} (wherein R_{A10} , R_{A11} and R_{A12} each independently represent a hydrogen atom, a C1-6 alkyl group or C3-8 cycloalkyl group) or a group represented by the formula:




(wherein e represents 1 or 2; Z represents an oxygen atom, a group represented by the formula – $CR_{X7}R_{X8}$ - or a group represented by the formula – NR_{X9} -; R_{X7} , R_{X8} and R_{X9} each independently represent a hydrogen atom, a hydroxyl group or a C1-6 alkyl group)); and Y_{A3} represents a hydrogen atom or an optionally substituted C1-6 alkyl group) or a group represented by the formula:



(wherein $T1$ represents an optionally substituted 5- to 10- membered aromatic heterocycle which may have X in the ring or an optionally substituted 3- to 10- membered heterocycle which may have X in the ring);

R_3 , R_4 , R_5 , R_6 , R_7 , R_8 , R_{10} and R_{11} each independently represent a hydrogen atom, a halogen atom, a cyano group, an optionally substituted C1-6 alkyl group, an optionally substituted C2-6 alkenyl group, an optionally substituted C2-6 alkynyl group, an optionally substituted C3-8 cycloalkyl group, a group represented by the formula – $CO-R_{13}$, a group represented by the formula – $NR_{14}-CO-R_{13}$, a group represented by the formula – SO_2-R_{15} , a group represented by the formula – $NR_{14}-SO_2-R_{15}$, or a group represented by the formula – $NR_{16a}R_{16b}$;


R_9 represents a group represented by the formula – $NR_{16a}R_{16b}$ or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);

R_{12a} and R_{12b} each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₃₋₆ alkenyl group, an optionally substituted C₃₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C₁₋₆ alkoxy group;

R₁₃ represents a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, an optionally substituted C₁₋₆ alkoxy group, an optionally substituted C₆₋₁₀ aryloxy group, a group represented by the formula -NR_{12a}R_{12b}, or a group represented by the formula:



(wherein T2 represents an optionally substituted 5- to 10- membered aromatic heterocycle or an optionally substituted 3- to 10- membered heterocycle);


R₂ and R₁₄ each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, or a group represented by the formula -CO-R₁₃;

R₁₅ represents an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₂₋₆ alkenyl group, an optionally substituted C₂₋₆ alkynyl group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, or an optionally substituted 3- to 10- membered heterocyclic group;

R_{16a} and R_{16b} each independently represent a hydrogen atom, an optionally substituted C₁₋₆ alkyl group, an optionally substituted C₃₋₆ alkenyl group, an optionally substituted C₃₋₆ alkynyl

group, an optionally substituted C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group, an optionally substituted 5- to 10- membered heteroaryl group, an optionally substituted 3- to 10- membered heterocyclic group, or an optionally substituted C₁₋₆ alkoxy group; and

X represents an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula –CR_{X1}R_{X2}-, or a group represented by the formula –NR_{X3}- (wherein R_{X1}, R_{X2} and R_{X3} each independently represent a hydrogen atom or a group represented by the formula –A₁-A₂-A₃ (wherein A₁ and A₂ each independently represent a single bond, an optionally substituted C₁₋₆ alkylene group or a carbonyl group; and A₃ represents a hydrogen atom, a C₃₋₈ cycloalkyl group, a group represented by the formula –NR_{A1}R_{A2}, or the formula –OR_{A3} (wherein, R_{A1}, R_{A2} and R_{A3} each independently represent a hydrogen atom or a C₁₋₆ alkyl group), or an optionally substituted group represented by the formula:




(wherein a represents 1 or 2))),


a salt thereof, or a hydrate of the foregoing.

3. (Original) A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom, a group represented by the formula –NH-, or a group represented by the formula –N(CH₃)–.
4. (Original) A compound according to claim 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein Y represents an oxygen atom.
5. (Currently Amended) A compound according to ~~any of claims 1 to 4~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein one of X₁ and X₂ represents a group represented by the formula –CH= and the other represents a nitrogen atom.
6. (Currently Amended) A compound according to ~~any of claims 1 to 4~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein both X₁ and X₂ represent a group represented by the formula –CH=.

7. (Currently Amended) A compound according to ~~any of claims 1 to 6~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₃, R₄, R₅, R₆ and R₈ each represent a hydrogen atom, and R₇ represents a hydrogen atom, a halogen atom or an optionally substituted C₁₋₆ alkyl group.
8. (Currently Amended) A compound according to ~~any of claims 1 to 7~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₉ represents a group represented by the formula -NHR₁₇ (wherein R₁₇ represents an optionally substituted C₁₋₆ alkyl group, a C₃₋₆ alkynyl group, a C₃₋₈ cycloalkyl group, an optionally substituted C₆₋₁₀ aryl group or an optionally substituted 5- to 10- membered heteroaryl group).
9. (Currently Amended) A compound according to ~~any of claims 1 to 7~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₉ represents a group represented by the formula -NR_{18a}R_{18b} (wherein R_{18a} and R_{18b} each independently represent a C₁₋₆ alkyl group).
10. (Currently Amended) A compound according to ~~any of claims 1 to 7~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₉ represents a group represented by the formula:




(wherein b₁ represents 1 or 2; X represents the ~~same definition as X in claim 1~~ an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula -CR_{X1}R_{X2}-, or a group represented by the formula -NR_{X3}- (wherein R_{X1}, R_{X2} and R_{X3} each independently represent a hydrogen atom or a group represented by the formula -A₁-A₂-A₃ (wherein A₁ and A₂ each independently represent a single bond, an optionally substituted C₁₋₆ alkylene group or a carbonyl group; and A₃ represents a hydrogen atom, a C₃₋₈ cycloalkyl group, a group represented by the formula -NR_{A1}R_{A2}, or the formula -OR_{A3} (wherein, R_{A1}, R_{A2} and R_{A3} each independently represent a hydrogen atom or a C₁₋₆ alkyl group), or an optionally substituted group represented by the formula:




(wherein a represents 1 or 2)).

11. (Currently Amended) A compound according to ~~any of claims 1 to 7~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₉ represents a group represented by the formula -NHR₁₉ (wherein R₁₉ represents a C₁₋₆ alkyl group, a C₃₋₆ alkynyl group, a C₃₋₈ cycloalkyl group or a C₆₋₁₀ aryl group).
12. (Currently Amended) A compound according to ~~any of claims 1 to 11~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₃, R₄, R₅, R₆, R₇ and R₈ each represent a hydrogen atom.
13. (Currently Amended) A compound according to ~~any of claims 1 to 12~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₂ represents a hydrogen atom.
14. (Currently Amended) A compound according to ~~any of claims 1 to 13~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₉ represents a group represented by the formula -NHR₂₀ (wherein R₂₀ represents a methyl group, an ethyl group or a cyclopropyl group).
15. (Currently Amended) A compound according to ~~any of claims 1 to 13~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₉ represents a group represented by the formula -NH(CH₃).
16. (Currently Amended) A compound according to ~~any of claims 1 to 15~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₁ represents a further optionally substituted group represented by the formula:




(wherein b_2 represents 0, 1 or 2; and X represents ~~the same definition as X in claim 1~~ an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula $-CR_{X1}R_{X2}-$, or a group represented by the formula $-NR_{X3}-$ (wherein R_{X1} , R_{X2} and R_{X3} each independently represent a hydrogen atom or a group represented by the formula $-A_1-A_2-A_3$ (wherein A_1 and A_2 each independently represent a single bond, an optionally substituted C_{1-6} alkylene group or a carbonyl group; and A_3 represents a hydrogen atom, a C_{3-8} cycloalkyl group, a group represented by the formula $-NR_{A1}R_{A2}$, or the formula $-OR_{A3}$ (wherein, R_{A1} , R_{A2} and R_{A3} each independently represent a hydrogen atom or a C_{1-6} alkyl group), or an optionally substituted group represented by the formula:




(wherein a represents 1 or 2))).

17. (Currently Amended) A compound according to ~~any of claims 1 to 16~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formula:




(wherein X represents ~~the same definition as X in claim 1~~ an oxygen atom, a sulfur atom, a carbonyl group, a sulfonyl group, a group represented by the formula $-CR_{X1}R_{X2}-$, or a group represented by the formula $-NR_{X3}-$ (wherein R_{X1} , R_{X2} and R_{X3} each independently represent a hydrogen atom or a group represented by the formula $-A_1-A_2-A_3$ (wherein A_1 and A_2 each independently represent a single bond, an optionally substituted C_{1-6} alkylene group or a carbonyl group; and A_3 represents a hydrogen atom, a C_{3-8} cycloalkyl group, a group represented by the formula $-NR_{A1}R_{A2}$, or the formula $-OR_{A3}$ (wherein, R_{A1} , R_{A2} and R_{A3} each independently represent a hydrogen atom or a C_{1-6} alkyl group), or an optionally substituted group represented by the formula:



(wherein a represents 1 or 2))).


18. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents an oxygen atom.

19. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein R_{X4} represents a hydrogen atom or a group represented by the formula $-A_4-A_5-A_6$ (wherein A_4 and A_5 each independently represent a single bond, an optionally substituted C_{1-6} alkylene or a carbonyl group; and A_6 represents a hydrogen atom, a C_{3-8} cycloalkyl group or a group represented by the formula $-NR_{A4}R_{A5}$ or the formula $-OR_{A6}$ (wherein R_{A4} , R_{A5} and R_{A6} each independently represent a hydrogen atom or a C_{1-6} alkyl group))).

20. (Original) A compound according to claim 17, a salt of the compound, or a hydrate of the foregoing, wherein X in the formula (IV) represents a group represented by the formula:




(wherein R_{X5} and R_{X6} each independently represent a hydrogen atom or a group represented by the formula $-A_7-A_8-A_9$ (wherein A_7 and A_8 each independently represent a single bond, an optionally substituted C_{1-6} alkylene group or a carbonyl group; and A_9 represents a hydrogen atom, a C_{3-8} cycloalkyl group, a group represented by the formula $-NR_{A7}R_{A8}$, or the formula $-OR_{A9}$ (wherein R_{A7} , R_{A8} , and R_{A9} each independently represent a hydrogen atom or a C_{1-6} alkyl group), or a group represented by the formula:



(wherein c_1 represents 0, 1 or 2))).


21. (Original) A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of R_{X5} and R_{X6} in the formula (VI) represents a hydroxyl group and the other represents a hydrogen atom or a C_{1-6} alkyl group.

22. (Original) A compound according to claim 20, a salt of the compound, or a hydrate of the foregoing, wherein one of R_{X5} or R_{X6} in the formula (VI) represents a hydrogen atom and the other represents a group represented by the formula:




(wherein c_2 represents 1 or 2).

23. (Currently Amended) A compound according to ~~any of claims 1 to 16~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formula:




(wherein R_{X51} and R_{X61} each independently represent a hydrogen atom or a group represented by the formula $-A_{71}-A_{81}-A_{91}$ (wherein A_{71} and A_{81} each independently represent a single bond, an optionally substituted C_{1-6} alkylene group or a carbonyl group; and A_{91} represents a hydrogen atom, a C_{3-8} cycloalkyl group, a group represented by the formula $-NR_{A71}R_{A81}$, or the formula $-OR_{A91}$ (wherein R_{A71} , R_{A81} , and R_{A91} each independently represent a hydrogen atom or a C_{1-6} alkyl group), or a group represented by the formula:




(wherein c_{11} represents 0, 1 or 2))).

24. (Currently Amended) A compound according to ~~any of claims 1 to 15~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formula:




(wherein Y_{A1} and Y_{A2} each independently represent a group represented by the formula – A_{10} – A_{11} – A_{12} (wherein A_{10} represents a single bond or an optionally substituted C_{1-6} alkylene group; A_{11} represents a single bond, an oxygen atom, a carbonyl group, or a sulfonyl group; and A_{12} represents a hydrogen atom, a C_{1-6} alkyl group, a C_{2-6} alkenyl group, a C_{2-6} alkynyl group, a C_{3-8} cycloalkyl group, a C_{6-10} aryl group, a 5- to 10- membered heteroaryl group, a group represented by the formula $-NR_{A10}R_{A11}$, or the formula $-OR_{A12}$ (wherein, R_{A10} , R_{A11} and R_{A12} each independently represent a hydrogen atom, a C_{1-6} alkyl group or a C_{3-8} cycloalkyl group), or a group represented by the formula:



(wherein e represents 1 or 2; and Z represents an oxygen atom or a group represented by the formula $-CR_{X7}R_{X8}-$ or the formula $-NR_{X9}-$ (wherein R_{X7} , R_{X8} and R_{X9} each independently represent a hydrogen atom, a hydroxyl group or a C_{1-6} alkyl group))))); and Y_{A3} represents a hydrogen atom or an optionally substituted C_{1-6} alkyl group).


25. (Currently Amended) A compound according to claim 24, a salt of the compound, or a hydrate of the foregoing, wherein one of Y_{A1} and Y_{A2} in the formula (VIII) represents a hydrogen atom and the other represents a group represented by the formula $-(CH_2)_2-A_{13}-A_{14}$ (wherein A_{13} represents a single bond, a carbonyl group or a sulfonyl group; and A_{14} represents a C_{1-6} alkyl group, a group represented by the formula $-NR_{A13}R_{A14}$ (wherein R_{A13} and R_{A14} each independently represent a hydrogen atom, a C_{1-6} alkyl group or a C_{3-8} cycloalkyl group), or a group represented by the formula:



(wherein e and Z represent the same definitions as e and Z in claim 24, respectively)) e represents 1 or 2; and Z represents an oxygen atom or a group represented by the formula $-CR_{X7}R_{X8}-$ or the formula $-NR_{X9}-$ (wherein R_{X7} , R_{X8} and R_{X9} each independently represent a


hydrogen atom, a hydroxyl group or a C₁₋₆ alkyl group)); and Y_{A3} in the formula (VIII) represents a hydrogen atom.

26. (Currently Amended) A compound according to ~~any of claims 1 to 15~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₁ represents a group represented by the formulas:




(each of the foregoing members being optionally substituted with a group selected from Substituent Group Alpha,

wherein Substituent Group Alpha is a group consisting of a halogen atom, a hydroxyl group, a thiol group, a nitro group, a cyano group, a carboxyl group, an amino group, a C₁₋₆ alkyl group, a C₃₋₈ cycloalkyl group, and a group represented by the formulas:




(wherein R_{N1} and R_{N2} each independently represent a hydrogen atom or a C₁₋₆ alkyl group)).




27. (Currently Amended) A compound according to ~~any of claims 1 to 15~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R₁ represents a group represented by the formulas:




28. (Currently Amended) A compound according to ~~any of claims 1 to 15~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formulas:



29. (Currently Amended) A compound according to ~~any of claims 1 to 15~~ claims 1 or 2, a salt of the compound, or a hydrate of the foregoing, wherein R_1 represents a group represented by the formulas:



wherein Substituent Group Beta is a group consisting of a hydroxyl group, a C₁₋₆ alkyl group, a C₃₋₈ cycloalkyl group, and a group represented by the formulas:



(wherein R_{N1} and R_{N2} each independently represent a hydrogen atom or a C_{1-6} alkyl group)); and R_9 represents a group represented by the formula $-NHR_{20}$ (wherein R_{20} represents a methyl group, an ethyl group or a cyclopropyl group)).

31. (Original) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of
- (1) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyrimidin-4-yloxy)-1H-indolecarboxamide;
 - (2) 5-(6-(3-(3-diethylaminopropylamino)ureido)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (3) 5-(6-(((4-hydroxypiperidin-1-yl)carbonyl)amino)-pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (4) 5-(6-(((4-pyrrolidin-1-yl)piperidin-1-yl)carbonylamino)pyrimidin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (5) 5-(2-(3-((1R)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (6) 5-(2-(3-((1S)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (7) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (8) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
 - (9) 5-(2-(3-((1S)-1-carbamoyl-2-phenylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

- (10) 5-(2-(3-((1S)-1-carbamoyl-3-methylbutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (11) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (12) 5-(2-(3-cyclopropylcarbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (13) 5-(2-(3-((1S)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (14) 5-(2-(3-((1R)-1-carbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (15) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)-1,5-pentanedicarboxylic acid diamide;
- (16) (2S)-2-(3-(4-(1-methylcarbamoyl-1H-indol-5-yloxy)pyridin-2-yl)ureido)succinamide;
- (17) 5-(2-(3-((1S)-1-cyclopropylcarbamoyl-2-hydroxyethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (18) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (19) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (20) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (21) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (22) 5-(2-(3-((1S)-1-hydroxymethyl-2-(4-hydroxypiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (23) 5-(2-(3-((1S)-1-hydroxymethyl-2-(morpholin-4-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (24) 5-(2-(3-(2-cyclopropylcarbamylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;

- (25) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (26) 5-(2-(3-(3-(4-hydroxy-4-methylpiperidin-1-yl)-3-oxopropyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (27) N1-ethyl-5-(2-(((2-ethoxyethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (28) N1-methyl-5-(2-(((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (29) N1-methyl-5-(2-(((3-(diethylamino)propylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (30) N1-methyl-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (31) N1-methyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (32) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (33) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (34) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (35) 5-(2-(3-(3-(diethylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (36) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (37) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (38) N1-methyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (39) N1-methyl-5-(2-(((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (40) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (41) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (42) N1-methyl-5-(2-((4-(1-hydroxy-1-methylethyl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (43) 5-(2-(((4-(3-methylcarbamoylethyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (44) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (45) 5-(2-(((4-(pyrrolidin-1-yl)carbonyl)piperidin-1-yl)carbonylamino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (46) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (47) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (48) N1-methyl-5-(2-((4-ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (49) N1-methyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (50) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (51) N1-methyl-5-(2-((4-(2-dimethylaminoacetyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (52) N1-methyl-5-(2-((4-cyclohexylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (53) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (54) N1-methyl-5-(2-((1,1-dioxothiomorpholin-4-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

- (55) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (56) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (57) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (58) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (59) 5-(2-(3-(2-(4-hydroxy-4-methylpiperidin-1-yl)-2-oxoethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (60) N1-ethyl-5-(2-((((1-methyl-4-piperidyl)methyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (61) N1-ethyl-5-(2-(((2-diethylamino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (62) N1-ethyl-5-(2-(((2-(morpholin-4-yl)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (63) N1-ethyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (64) N1-methyl-5-(2-(((2-(4-hydroxypiperidino)ethyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (65) N1-ethyl-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (66) N1-ethyl-5-(2-(((3-(morpholin-4-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (67) N1-ethyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (68) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (69) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;

- (70) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (71) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (72) 5-(2-(3-(3-oxo-3-(pyrrolidin-1-yl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (73) 5-(2-(3-((1R)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (74) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-piperidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopropylamide;
- (75) N1-phenyl-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (76) N1-phenyl-5-(2-(((3-(4-methylpiperazin-1-yl)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (77) N1-ethyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (78) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (79) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (80) N1-ethyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (81) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;
- (82) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;
- (83) N1-ethyl-5-(2-((1,1-dioxothiomorpholin-4-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (84) N1-ethyl-5-(2-((methoxylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (85) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (86) N1-cyclopropyl-5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (87) N4-(4-(1-(cyclopropylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (88) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (89) N1-cyclopropyl-5-(2-(piperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (90) N4-(4-(1-(cyclopentylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (91) 5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid cyclopentylamide;
- (92) N1-cyclopentyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (93) N1-(3-methylbutyl)-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (94) N1-(3-methylbutyl)-5-(2-((4-(hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (95) N4-(4-(1-((3-methylbutyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (96) N1-(1-ethylpropyl)-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (97) N1-(1-ethylpropyl)-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (98) N4-(4-(1-((1-ethylpropyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (99) N4-(4-(1-((1-pentyl)amino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;

- (100) N1-(1-pentyl)-5-(2-(((4-hydroxypiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (101) N1-(1-pentyl)-5-(2-((4-(pyrrolidin-1-yl)piperidin-1-ylcarbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (102) N1-methyl-3-chloro-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (103) N1-methyl-3-chloro-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (104) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (105) N1-methyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (106) N1-methyl-3-chloro-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (107) N4-(4-(3-chloro-1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (108) N1-methyl-3-chloro-5-(2-((4-(ethylpiperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (109) N1-ethyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (110) N1-ethyl-3-chloro-5-(2-(((3-(4-hydroxypiperidino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (111) N1-ethyl-3-chloro-5-(2-(((3-(diethylamino)propyl)amino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (112) N1,3-dimethyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (113) N1,3-dimethyl-5-(2-((4-(pyrrolidin-1-yl)piperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (114) N1-cyclopropyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;
- (115) N1-cyclopropyl-5-(2-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-3-methyl-1H-1-indolecarboxamide;
- (116) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (117) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (118) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (119) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (120) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (121) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (122) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (123) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (124) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (125) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (126) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

32. (Original) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

- (1) 5-(2-(3-(2-oxo-2-(pyrrolidin-1-yl)ethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (2) 5-(2-(3-carbamoylmethylureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (3) 5-(2-(3-((1S)-1-hydroxymethyl-2-oxo-2-pyrrolidin-1-ylethyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (4) N1-methyl-5-(2-((4-(2-hydroxy-2-methylpropionyl)piperazin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (5) 5-(2-(3-(4-oxo-4-(pyrrolidin-1-yl)butyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (6) 5-(2-(3-(3-(cyclopropylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (7) 5-(2-(3-(4-(4-hydroxy-4-methylpiperidin-1-yl)-4-oxobutyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (8) 5-(2-(3-(3-(methylcarbamoyl)propyl)ureido)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (9) N1-methyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (10) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (11) N1-methyl-5-(2-(4-oxopiperidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (12) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (13) 5-(2-(((4-(3-methylcarbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (14) 5-(2-(((4-(3-carbamoylpropyl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (15) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;

- (16) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (17) N1-methyl-5-(2-((3-methylsulfonylpropylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (18) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide;
- (19) N1-cyclopropyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (20) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid ethylamide;
- (21) N1-ethyl-5-(2-((4-hydroxypiperidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (22) N1-ethyl-5-((2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy)-1H-1-indolecarboxamide;
- (23) N4-(4-((1-(ethylamino)carbonyl-1H-5-indolyl)oxy)-2-pyridyl)-4-morpholinecarboxamide;
- (24) N1-cyclopropyl-5-(2-((pyrrolidin-1-ylcarbonyl)amino)-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (25) N1-methyl-3-chloro-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (26) N1-methyl-5-(2-((methylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (27) N1-methyl-5-(2-((diethylamino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (28) N1-(2-propynyl)-5-(2-((pyrrolidin-1-yl)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (29) N1-methyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (30) N1-ethyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;

- (31) N1-cyclopropyl-5-(2-(azetidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (32) N1-methyl-5-(2-(((4-(morpholin-4-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (33) N1-methyl-5-(2-(((4-(azetidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (34) N1-methyl-5-(2-(((4-(diethylamino)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (35) N1-methyl-5-(2-(((4-(4-hydroxypiperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (36) N1-propyl-5-(2-(pyrrolidin-1-ylcarbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide.

33. (Original) A compound according to claim 1, a salt of the compound, or a hydrate of the foregoing, wherein the compound is a compound selected from a group consisting of

- (1) 5-(2-(((4-hydroxy-4-methylpiperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-indole-1-carboxylic acid methylamide;
- (2) N1-methyl-5-(2-((4-hydroxypiperidino)carbonyl)amino-4-pyridyl)oxy-1H-1-indolecarboxamide;
- (3) N1-methyl-5-(2-(((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide;
- (4) N1-methyl-5-(2-(((4-(piperidin-1-yl)piperidin-1-yl)carbonyl)amino)pyridin-4-yloxy)-1H-1-indolecarboxamide; and
- (5) N4-(4-(1-(methylamino)carbonyl-1H-5-indolyl)oxy-2-pyridyl)-4-morpholinecarboxamide.

34. (Currently Amended) A pharmaceutical composition comprising a compound according to ~~any of claims 1 to 33~~ claims 1 or 2 and a pharmaceutical adjuvant.

35. (Currently Amended) A prophylactic or therapeutic agent for a disease for which angiogenesis inhibition is effective, comprising as an active ingredient, a compound according to ~~any of claims 1 to 33~~ claims 1 or 2, a salt thereof, or a hydrate of the foregoing.
36. (Currently Amended) An angiogenesis inhibitor comprising as an active ingredient, a compound according to ~~any of claims 1 to 33~~ claims 1 or 2, a salt thereof, or a hydrate of the foregoing.
37. (Currently Amended) An antitumor agent comprising as an active ingredient, a compound according to ~~any of claims 1 to 33~~ claims 1 or 2, a salt thereof, or a hydrate of the foregoing.
38. (Original) An antitumor agent according to claim 37, wherein the tumor is a pancreatic cancer, a gastric cancer, a colon cancer, a breast cancer, a prostate cancer, a lung cancer, a renal cancer, a brain tumor, a blood cancer or an ovarian cancer.
39. (Currently Amended) A therapeutic agent for hemangioma comprising as an active ingredient, a compound according to ~~any of claims 1 to 33~~ claims 1 or 2, a salt thereof, or a hydrate of the foregoing.
40. (Currently Amended) A cancer metastasis inhibitor comprising as an active ingredient, a compound according to ~~any of claims 1 to 33~~ claims 1 or 2, a salt thereof, or a hydrate of the foregoing.
41. (Currently Amended) A therapeutic agent for retinal neovascularization or diabetic retinopathy comprising as an active ingredient, a compound according to ~~any of claims 1 to 33~~ claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

42. (Currently Amended) A therapeutic agent for an inflammatory disease comprising as an active ingredient, a compound according to ~~any of claims 1 to 33~~ claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

43. (Original) A therapeutic agent for an inflammatory disease according to claim 42, wherein the inflammatory disease is deformant arthritis, rheumatoid arthritis, psoriasis or delayed hypersensitivity reaction.

44. (Currently Amended) A therapeutic agent for atherosclerosis comprising as an active ingredient, a compound according to ~~any of claims 1 to 33~~ claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

45. (Currently Amended) A prophylactic or therapeutic method for treating a disease for which angiogenesis inhibition is effective, comprising administering to a patient, a pharmacologically effective dose of a compound according to ~~any of claims 1 to 33~~ claims 1 or 2, a salt thereof, or a hydrate of the foregoing.

46. (Cancelled)

47. (New) A method of inhibiting angiogenesis in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.

48. (New) A method of treating cancer in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.

49. (New) The method of Claim 48, wherein the cancer is a pancreatic cancer, a gastric cancer, a colon cancer, a breast cancer, a prostate cancer, a lung cancer, a renal cancer, a brain tumor, a blood cancer or an ovarian cancer.

50. (New) A method of treating or preventing hemangioma in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.

51. (New) A method of treating or preventing an inflammatory disease in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.

52. (New) The method of Claim 51, wherein the inflammatory disease is deformat arthritis, rheumatoid arthritis, psoriasis or delayed hypersensitivity reaction.

53. (New) A method of treating or preventing atherosclerosis in a mammal, comprising administering to the mammal an effective amount of a compound of Claim 1 or 2, a salt thereof, or a hydrate of the foregoing.